


2026 PRODUCT CATALOG

FARM-TESTED PRODUCTS
THAT REDEFINE THE

NEXT LEVEL OF COW COMFORT

Economic incentives have encouraged producers to expand herd size; consequently there has been a gradual change from pasture-based operations to confinement-type housing systems. Advantages include improved access to feed and water, protection from environmental conditions, and improved hygiene and comfort. With this criteria in mind, our goal is to provide high quality farm solutions along with effective logistics and sales channels. We work hard to ensure that dairy producers worldwide have access to the best products to take your cows to the next level in cow comfort, hoof health and increased milk production.







DESIGNED FOR FARMERS, BY FARMERS

FOCUS ON

Improve cow comfort with Focus on 5.

Agri-Comfort seeks to increase cow productivity by centering on five key management components in modern dairy herd facilities. By having durable and reliable products with these attributes in mind, we aspire to partner in your success.











Why grow your business with Agri-Comfort?

Tough enough.


All Agri-Comfort products are engineered and pretested before we supply them to our customers. From the raw materials to the factory-backed warranties, we are adamant in our commitment to durability.

Cow friendly, farmer friendly.

From installation to daily maintenance, our products are designed for labor efficiency, durability and comfort. Your time is valuable, your herd health is an investment. It's our privilege at Agri-Comfort to partner in a mutual commitment to success!

"The majority of cows prefer to walk and stand on soft rubber than on concrete flooring."

- Journal of Dairy Science 2007





HYGIENE

The health of your herd is a key focus of Agri-Comfort. Using our products in a hygienic environment optimizes udder and hock health as well as their foot and leg condition in all areas of your operation.



MAINTENANCE

All Agri-Comfort products are designed to withstand the rigors of day-to-day, aggressive cleaning, bedding, and traffic in any type of manure system.



REST TIME

Your cows need their "Vitamin R". The importance of rest is paramount to the production and health of your herd. All of our Agri-Comfort products are engineered to optimize your cows' time budget as it relates to feeding, grooming, milking and resting.



HOUSING

Rest and locomotion in a cow-friendly environment translates to cow longevity. All of our products work in conjunction with ventilation, lighting, and feed management.



STALLS

Optimizing rumination is the goal of Agri-Comfort's stall products. Stall comfort translates into better health and productivity as the cows' rest is directly related to milk yield. Our variety of stall bed options can be matched to your preferred bedding material.

Contact Us:

Toll-Free: 1-888-231-3575 info@agri-comfort.com

United States Headquarters

701 East Elm Street, Sidney, NE 69162 Tel: 1-308-254-1137 Fax: 1-308-254-4527

Canada Headquarters

7793 Young Street, Grassie, ON Canada LOR 1M0 Tel: 1-905-945-3116 Fax: 1-905-945-9804

Canada Warehouse

1238 Nellis Street, Woodstock ON, Canada 4NT 1N9 Tel: 1-226-204-0196

Agri-Comfort is a division of Agri-Plastics, Group of Companies

Huber Technik Stall Mattress Systems




About Soft Bed 4GS and 8GS

Our highly advanced Huber Technik stall mattresses provide dairy cows with an ideal comfort surface to relax joints, enhance health and improve overall productivity. Combining a specially designed, 100% virgin rubber top cover and composite latex foam substructure, this mattress system offers the latest in soft bed technology, with tensile strength that has been tested and proven. *Customized sizes on top-cover and latex foam available upon request.

- Established in 1925
- Made in Germany
- Exclusively new tire compound
- PAH and ISO 9000 certified
- Over 3 million stalls and counting

Here's how it works:



Top Cover - The full rubber top cover features a high-strength fabric, .16" / 4mm or .31" / 8mm thick, depending on the model, which is bolted to the concrete on both sides of the foam base. A slope in the rear area facilitates liquid drainage for surface dryness and easy cleanup.

Latex Foam Base - The foam base consists of 1.2" / 30mm thick composite foam sheets, creating perfect deflection. The compression resistance is designed for high punctual loads by dairy cows, keeping the shape of the base intact for many years.



Soft Bed 4/30 with top cover 4GS

To achieve the ultimate in cow comfort, health and production performance in your freestall, we recommend our 4GS system. It has the highest tensile cover available on the market and the best foam base cushion to optimize laying duration.

Soft Bed 8/30 with top cover 8GS

A tie stall management approach requires the 8GS comfort system. Our top cover surface is also doubling as a flooring surface for your cows. By increasing the thickness of the top cover, comfort and decking stability is achieved with perfect balance.

Elasticity/compression:

++ acc. to DLG report 6014F (>.83" / >21mm)

Top Cover Width: 6' / 180cm Latex Underlay Width: 63" / 160cm

Thickness: 1.35"/ 34.3mm **Length:** Up to 328' / 100m

Elasticity/compression:

++ acc. to DLG report 5807F (1.06" / 26.8 mm)

Top Cover Width: 6' / 180cm Latex Underlay Width:

63" / 160cm

Thickness: 1.5" / 38.1mm **Length:** 32.8-229.7' / 10-70m





Proven Tensile Strength and More

Huber Technik products have been subjected to the rigorous Fokus Test by The German Agricultural Society (DLG), and earned the top ++ evaluations.



Seamless Installation

We can deliver our products in one piece up to a length of 328' / 100m. This means the floors are easy to install: Put down, roll out and fasten. No seams make it easier for daily stall maintenance.



10-Year Warranty

Huber processes 100% new rubber, not scrap granules. We only process high-quality raw material, therefore, we are able to give a 10-year warranty on all of our products.





100% New Tire Compound

Our mats are exclusively made of new unvulcanized tire compound. They contain high-quality raw material that provides, among other things, aging-resistance and ozone protection.











- Heavy-duty .25" / .64cm thick poly that won't crack, chip, or splinter
- 48" / 122cm lengths indented for proper anchor placement

This Brisket Board is a durable solution for any new or existing stall system. Its design is ideal for protecting dew claws and allowing your cattle to extend their legs in a natural manner. Due to the natural curve in the brisket, it is strong enough to support your cattle's weight.

Huber Technik Stalls & Rolled Alley Flooring



- Established in 1925
- Made in Germany
- Only new tire rubber compound
- PAH and ISO 9000 certified
- 10-15 year warranty

Cow comfort and profitability from the ground up!

At Agri-Comfort we will FLOOR YOU with our Huber Technik rolled rubber flooring. All of our continuous rolls can be cut to customized lengths to ensure minimal joints or seams in your stalls or floors. All our stall and flooring options are exceptionally flexible and provide a high level of slip resistance. Coupled with 100% new tire compound, all rolls are fabric interlined for added strength.

The N15 walkway roll is an ideal parlor floor, the N18 walkway flooring is exemplary in alleys providing comfort and sure footing. Our N20 and N33 rolls provide even higher shock absorption for increased comfort in stall applications. The raised lugs act as shock absorbers and allow liquids to run freely underneath.



N-15 Rolls

Ideal for: Alleyways, Holding Areas, Parlors

Thickness: .59" / 15mm

Width: 19.7-118.1" / 500mm-3000mm in steps of 3.93" / 100mm

Length: 32.8-229.7' and 164' / 10-70m and 50m

Warranty: 10 years

Features: Smallest studded underside provides cushion and

traction. Deflection/Penetration depth of .17" / 4.3mm





N-18 Rolls

Ideal for: Alleyways, Holding Areas, Parlors

Thickness: .7" / 18mm

Width: 19.7-118.1" / 500mm-3000mm in steps of 3.93" / 100mm

Length: 32.8-229.7' and 164' / 10-70m and 50m

Warranty: 10 years


Features: Small studded underside provides cushion and traction. Deflection/Penetration depth of .03" / 10.7mm



Features of N-Series Stalls and Flooring:

- Virgin tire compound equals consistent quality
- Skid resistant Hammered surface
- Non-absorbent and urine resistant
- Precision-fit installation for minimal herd disruption
- Softness to emulate a pasture feel







N-20 Rolls

Ideal for: Freestalls and Tie Stalls

Thickness: .79" / 20mm

Width: 47.25-78.74" / 1200mm-2000mm

Length: 32.8-164' / 10-50m

Warranty: 10 years

Features: Medium studded underside provides cushion and traction. Deflection/Penetration depth of .03" / 10.7mm

N-33 Rolls

Ideal for: Freestalls and Tie Stalls

Thickness: 1.3" / 33mm **Width:** 74.8" / 1900mm

Length: 32.8-131.2' / 10-40m

Warranty: 15 years

Features: Largest studded underside provides cushion and traction. Deflection/Penetration depth of .67" / 17mm

Agri-Grid Sand Saver 2.0 with







Exclusive grid design minimizes sand waste and reduces digging

Studies show that the environment in which a dairy herd lives has a direct correlation with the herd's health, comfort and milk production. Since the cows spend much of the day lying down and processing feed into milk, one of the most important factors is the bed that is used.

Features of Agri-Grid:

- · Original and unique grid design
- Robust and improves lying position
- Promotes accessibility and increases stall occupancy
- Reduces daily stall maintenance
- Supports hooves, keeps bed level and minimizes sand or compost waste

Specifications:

- Thickness: 1" / 25mm

- Dimensions: 4' x 5' / 1.219m x 1.52m




Lok-Seal* System

Patent Pending









This innovative grid fits easily into freestalls to dramatically improve the performance and efficiency of your sand bedding efforts. Using the grid can reduce your sand usage by up to 50%!

With a solid base, there is less stall maintenance. Cows have less tendency to dig in the sand so the bed does not "belly out."

Traditionally, a lot of labor is spent evening out the sand bed. With the Agri-Grid Sand

Saver Mat, the bed stays more level.

Lok-Seal System Features:

- Covered Interlock minimizes sand infiltration
- Beveled Interlock ensures a quick and straightforward install
- Interlocks sustain lateral seam strength

Beveled interlock paired with the recessed underside of the next mat allows for a seamless uniform junction



Interlocking Rubber Flooring Mats

Provides traction and comfort even in irregular areas

Agri-Interlock and GH 2.6 Rubber Mats are durable, high-quality puzzle-edge floor mats designed for livestock areas.

The Agri-Interlock mat features an aggressive double button pattern for maximum traction and slip resistance. The GH 2.6 mat offers a lower-profile, asymmetric surface that balances moderate traction with easy cleanability using a sprayer.

Both mats come in a standard size of 70.8" x 47.5" and can be ordered with custom interlock configurations – four sides, two sides, or a variety of custom cuts to fit your space. A grooved underside allows for drainage and adds flex to absorb heavy foot impact.


These versatile mats are ideal for areas where rolled rubber is not practical. They help protect your herd's safety and can reduce lameness-related injuries by providing secure footing and cushioning.

Features of Interlock Mats:

- Nonslip surface that provides excellent traction for your herd
- Resiliency for proper cushioning of feet and legs
- Durable for long and serviceable facility life
- Formulated quality to be robust and forgiving
- Unique interlock configuration for installation versatility
- · Highest quality upcycled rubber



Grooved underside for drainage and flexibility












- A soft flooring surface is beneficial for hoof health.
- The proportion of cows becoming lame is greater for cows exposed to concrete than those on rubber.
- Cows on concrete have greater odds of developing or exacerbating heel erosion than cows on rubber flooring.
- Journal of Dairy Science, 2006




A variety of edges allow for greater flexibility when fitting irregular spaces. Custom cuts available upon request.

Specifications:

Width: 47.5" / 126.7cm Lengths: 70.29" - 70.89" / 178.5 - 180cm

Thickness: .875" / 22,2mm



Agri-Diamond Flooring







Diamonds are a Herd's Best Friend

Your herd is an investment. Rubber flooring has a proven, positive impact on feet and legs. Agri-Diamond is specifically engineered for your cow's comfort and traction needs.

Whether its alleys, breezeways, walkways, parlors or holding areas – whether its flush, skid steer or automated cleaning – Agri-Diamond will floor you!

Agri-Diamond Slat Rubber Flooring





Features:

- Full slat coverage:
 Exact fit to concrete
- · Industrial grade belting
- Double woven 2 plies
- · Virgin rubber compound
- · Lateral bi-directional traction
- Non-absorbent and urine resistant
- Precision-fit installation
- Consistent quality
- Right angle vertical channel



Specifications:

Dimensions: 4' x 10' / 4' x 12' / Custom sizes available

Thickness: 3/4" / 18 mm




Step Up to Superior Cattle Comfort with Agri-Diamond Slat Rubber



Your cattle are an investment. Rubber flooring has a proven, positive impact on feet and legs. Agri-Diamond is specifically engineered for your cattle comfort and traction needs.

Agri-Diamond Slat Benefits:

- Decreased lameness
- Improved traction
- Increased feed conversion
- Minimize swollen hocks and knees
- Increased cattle longevity
- Minimize stress



Premier Slat Rubber Flooring



"" PREMIER SLAT RUBBER FLOORING

Premier Slat Rubber Features:

- Hammer Top surface for traction & cushion
- Animal-friendly
- Developed for Beef and **Dairy Cattle**
- Reinforced: least deformation
- Patented All-Rubber **Fastener System**

- Full slat coverage: Exact fit to concrete
- Easy installation
- Made from 100% upcycled rubber
- 8-Year Limited Warranty
- Slip-resistant surface

The Premier Slat Mat is designed to meet the demanding conditions of livestock operations, prioritizing animal welfare while also considering producers'

> economic needs. Made from upcycled rubber, unmatched strength compared to other market. The mat helps increase yield and excretion in cattle, directly reducing environmental footprint.



Specifications:

Dimensions:

4' / 1.2m L x 10-12' / 3-3.6m W

drainage

Thickness:

.75" / 19mm

Weight:

±160-200 lbs / ±72.6-90.7 kg

Productivity: Yield gain % vs. other systems

Our Slat Rubber Flooring has over 2 times the abrasion resistance of the next leading competitors, Research also demonstrates that our Slat Flooring has a higher yield gain percentage compared to other brands.

Legacy Slat Rubber Flooring





Legacy Slat Rubber Features:


- Double-Button surface for ultimate traction and cushion
- Animal-friendly
- Developed for Beef and Dairy cattle
- · Reinforced: least deformation

of fattening, up to 9% faster.

 Patented All-Rubber Fastener System

- Full slat coverage:
 Exact fit to concrete
- Easy installation
- Made from 100% upcycled tire rubber
- 6-Year Limited Warranty
- Slip-resistant surface

Our Premier Slat Rubber Flooring and its rubber properties prevent the highest amount of injuries. Other brands use plastic and steel in their fastener and can result in more injuries. Our Slat Rubber flooring has the best rubber properties in the industry. It outperforms the existing brands leading to the highest yield in terms of average length



7.5 5 2.5 0 ■ Brand A ■ Brand B ■ Our Sett Rubber

Specifications:

Dimensions: 4' / 1.2m L x 6' / 3.-3.6m W

Thickness: .75" / 18mm

Weight: ±95-100 lbs. / ±743.6 - 45.4 kg





Agri-Tuff Stationary Brush Benefits:

- · Enhances cleanliness and productivity
- Cleans hides and promotes blood circulation
- · Improves skin health
- · Keeps cattle restful and relaxed
- Diminishes fly and parasite stress
- Abates heat stress and dislodges winter coats

Features:

- Low maintenance
- · Durable and cost-effective
- No electricity required
- Indoor and Outdoor usable; weather and frost resistant
- Heavy duty steel structure
- Hot-dipped galvanized post
- Simple bristle replacement
- Pedestal Comfort Brush

Specifications:

Height: 62" / 158 cm Weight: 162 lbs. / 74 kg Brush discs: 21" / 53 cm








THE NEXT LEVEL OF COW COMFORT

RUBBER MATTRESSES, FLOORING & COMFORT BRUSHES













From installation to daily maintenance, our products are designed for labor efficiency, durability and comfort. Your time is valuable, your herd health is an investment. From the raw materials to the factory-backed warranties, we are adamant in our commitment to durability.

Agri-Comfort

info@agri-comfort.com · 1-888-231-3575
AGRI-COMFORT.COM

